



AP10 POMPALARIN KODLAMA SİSTEMİ ORDERING CODE OF AP10 PUMPS




- Kodlama Örneği (Tekli) ; AP10.030.CAB01SN
Code Example (Single)

- Kodlama Örneği (Tandem) ; AP10.030/030/030.CAB01SN-T
Code Example (Tandem)


A




B




C




L




F




N



GRUP 10 ŞAFT TİPLERİ / GROUP 10 SHAFT TYPES




GRUP 10 GÖVDE DELİK TİPLERİ / GROUP 10 BODY HOLE TYPES




01 Kare Tipi Flanş
Rectangular Flange

Sipariş Kodu Ordering Code	İletim Hacmi Displacement cm³/dev (rev)	Emiş Tarafı Suction Side			Baskın Tarafı Pressure Side		
		C	D	E	c	d	e
01	0,9 - 9,5	12	30	M6	12	30	M6



03 Metrik diş / Metric Thread
ISO228/1

Sipariş Kodu Ordering Code	İletim Hacmi Displacement cm³/dev (rev)	Emiş Tarafı Suction Side		İletim Hacmi Displacement cm³/dev (rev)	Baskın Tarafı Pressure Side	
		D	E		d	e
03	0,9 - 3,8	13	M18x1,5	0,9 - 9,5	13	M14x1,5
	4,3 - 9,5		M 22x1,5			







05 Boru diş / Pipe Thread
ISO228/1

Sipariş Kodu Ordering Code	İletim Hacmi Displacement cm³/dev (rev)	Emiş Tarafı Suction Side		İletim Hacmi Displacement cm³/dev (rev)	Baskın Tarafı Pressure Side	
		D	E		d	e
05	0,9 - 3,8	13	G 3/8"	1,0 - 4,5	13	G 3/8"
	4,3 - 9,5		G 1/2"			G 1/2"

A Ön Kapak
Front Cover

B Şaft Tipi
Shaft Type







Ay kama
Woodruff key

Pompa Tipi Pump Type	İletim Hacmi Displacement cm ³ /dev(cm ³ /rev)	Maks. Basınç Max. Pressure (bar)	Maks. Hız Max. Speed d/d (rpm)	A ±0,4	B	Giriş – Inlet			Çıkış - Outlet		
						C	D	E	c	d	e
AP10.009.A/CAB01SN	0,9	220	4000	34,9	78,1	12	30	M6	12	30	M6
AP10.012.A/CAB01SN	1,2			35,5	79,3						
AP10.017.A/CAB01SN	1,7			36,5	81,3						
AP10.023.A/CAB01SN	2,3			37,5	83,3						
AP10.027.A/CAB01SN	2,7			38,5	85,3						
AP10.032.A/CAB01SN	3,2			39,3	86,8						
AP10.038.A/CAB01SN	3,8		3500	40,5	89,3						
AP10.043.A/CAB01SN	4,3			41,5	91,3						
AP10.050.A/CAB01SN	5,0			43,0	94,3						
AP10.059.A/CAB01SN	5,9			44,8	97,8						
AP10.063.A/CAB01SN	6,3			45,5	99,3						
AP10.078.A/CAB01SN	7,8	210		48,5	105,3						
AP10.095.A/CAB01SN	9,5	200		52,0	112,3						

B Ön Kapak
Front Cover

A Şaft Tipi
Shaft Type






Ay kama
Woodruff key

Pompa Tipi Pump Type	İletim Hacmi Displacement cm ³ /dev(cm ³ /rev)	Maks. Baskı Max. Pressure (bar)	Maks. Hız Max. Speed d/d (rpm)	A ±0,4	B	Giriş – Inlet			Çıkış - Outlet		
						C	D	E	c	d	e
AP10.009.A/CBA01SN	0,9	220	4000	34,9	78,1	12	30	M6	12	30	M6
AP10.012.A/CBA01SN	1,2			35,5	79,3						
AP10.017.A/CBA01SN	1,7			36,5	81,3						
AP10.023.A/CBA01SN	2,3			37,5	83,3						
AP10.027.A/CBA01SN	2,7			38,5	85,3						
AP10.032.A/CBA01SN	3,2			39,3	86,8						
AP10.038.A/CBA01SN	3,8		3500	40,5	89,3						
AP10.043.A/CBA01SN	4,3			41,5	91,3						
AP10.050.A/CBA01SN	5,0			43,0	94,3						
AP10.059.A/CBA01SN	5,9			44,8	97,8						
AP10.063.A/CBA01SN	6,3			45,5	99,3						
AP10.078.A/CBA01SN	7,8	210		48,5	105,3						
AP10.095.A/CBA01SN	9,5	200		52,0	112,3						

C Ön Kapak
Front Cover




E Şaft Tipi
Shaft Type



Pompa Tipi Pump Type	İletim Hacmi Displacement cm³/dev(cm³/rev)	Maks. Basınç Max. Pressure (bar)	Maks. Hız Max. Speed d/d (rpm)	A ±0,4	B	Giriş – Inlet		Çıkış - Outlet	
						C	D	c	d
AP10.009.A/CCE05SN	0,9	220	4000	34,9	78,1	G 3/8 "	13	G 3/8 "	13
AP10.012.A/CCE05SN	1,2			35,5	79,3				
AP10.017.A/CCE05SN	1,7			36,5	81,3				
AP10.023.A/CCE05SN	2,3			37,5	83,3				
AP10.027.A/CCE05SN	2,7			38,5	85,3				
AP10.032.A/CCE05SN	3,2			39,3	86,8				
AP10.038.A/CCE05SN	3,8		3500	40,5	89,3	G 1/2 "			
AP10.043.A/CCE05SN	4,3			41,5	91,3				
AP10.050.A/CCE05SN	5,0			43,0	94,3				
AP10.059.A/CCE05SN	5,9			44,8	97,8				
AP10.063.A/CCE05SN	6,3			45,5	99,3				
AP10.078.A/CCE05SN	7,8	210		48,5	105,3				
AP10.095.A/CCE05SN	9,5	200		52,0	112,3				

F Ön Kapak
Front Cover

E Şaft Tipi
Shaft Type



Pompa Tipi Pump Type	İletim Hacmi Displacement cm³/dev(cm³/rev)	Maks. Basınç Max. Pressure (bar)	Maks. Hız Max. Speed d/d (rpm)	A ±0,4	B	Giriş – Inlet		Çıkış - Outlet	
						C	D	c	d
AP10.009.A/CFE05SN	0,9	220	4000	34,9	78,1	G 3/8 "	13	G 3/8 "	13
AP10.012.A/CFE05SN	1,2			35,5	79,3				
AP10.017.A/CFE05SN	1,7			36,5	81,3				
AP10.023.A/CFE05SN	2,3			37,5	83,3				
AP10.027.A/CFE05SN	2,7			38,5	85,3				
AP10.032.A/CFE05SN	3,2			39,3	86,8				
AP10.038.A/CFE05SN	3,8		3500	40,5	89,3	G 1/2 "			
AP10.043.A/CFE05SN	4,3			41,5	91,3				
AP10.050.A/CFE05SN	5,0			43,0	94,3				
AP10.059.A/CFE05SN	5,9			44,8	97,8				
AP10.063.A/CFE05SN	6,3			45,5	99,3				
AP10.078.A/CFE05SN	7,8			48,5	105,3				
AP10.095.A/CFE05SN	9,5			52,0	112,3				